DOCUMENTATION OF ENVIRONMENTAL INDICATOR DETERMINATION

Interim Final 2/5/99

RCRA Corrective Action Environmental Indicator (EI) RCRIS code (CA750)

Migration of Contaminated Groundwater Under Control

| Facility Name: | Dieterich Standard |
|--------------------|---|
| Facility Address: | 5601 N. 71st, Boulder, CO, 80301 |
| Facility EPA ID #: | COD005548037 |
| groundwater n | ole relevant/significant information on known and reasonably suspected releases to the nedia, subject to RCRA Corrective Action (e.g., from Solid Waste Management Units gulated Units (RU), and Areas of Concern (AOC)), been considered in this EI determination? |
| X | If yes - check here and continue with #2 below. |
| | If no - re-evaluate existing data, or |
| | if data are not available skip to #6 and enter"IN" (more information needed) status code. |
| BACKGROUND | |

Definition of Environmental Indicators (for the RCRA Corrective Action)

Environmental Indicators (EI) are measures being used by the RCRA Corrective Action program to go beyond programmatic activity measures (e.g., reports received and approved, etc.) to track changes in the quality of the environment. The two EI developed to-date indicate the quality of the environment in relation to current human exposures to contamination and the migration of contaminated groundwater. An EI for non-human (ecological) receptors is intended to be developed in the future.

Definition of "Migration of Contaminated Groundwater Under Control" EI

A positive "Migration of Contaminated Groundwater Under Control" EI determination ("YE" status code) indicates that the migration of "contaminated" groundwater has stabilized, and that monitoring will be conducted to confirm that contaminated groundwater remains within the original "area of contaminated groundwater" (for all groundwater "contamination" subject to RCRA corrective action at or from the identified facility (i.e., site-wide)).

Relationship of EI to Final Remedies

While Final remedies remain the long-term objective of the RCRA Corrective Action program the EI are near-term objectives which are currently being used as Program measures for the Government Performance and Results Act of 1993, GPRA). The "Migration of Contaminated Groundwater Under Control" EI pertains ONLY to the physical migration (i.e., further spread) of contaminated ground water and contaminants within groundwater (e.g., nonaqueous phase liquids or NAPLs). Achieving this EI does not substitute for achieving other stabilization or final remedy requirements and expectations associated with sources of contamination and the need to restore, wherever practicable, contaminated groundwater to be suitable for its designated current and future uses.

Duration / Applicability of EI Determinations

EI Determinations status codes should remain in RCRIS national database ONLY as long as they remain true (i.e., RCRIS status codes must be changed when the regulatory authorities become aware of contrary information).

| 2. | Is groundwater known or reasonably suspected to be "contaminated" above appropriately protective "levels" (i.e., applicable promulgated standards, as well as other appropriate standards, guidelines, guidance, or criteria) from releases subject to RCRA Corrective Action, anywhere at, or from, the facility? | |
|----|--|---|
| | X | If yes - continue after identifying key contaminants, citing appropriate "levels," and referencing supporting documentation. |
| | | If no - skip to #8 and enter "YE" status code, after citing appropriate "levels," and referencing supporting documentation to demonstrate that groundwater is not "contaminated." |
| | | If unknown - skip to #8 and enter "IN" status code. |

Rationale and Reference(s):

Investigations ongoing at the facility demonstrate that a contaminant plume of TCA and DCE is present in ground water at and downgradient of the site. References: Third Annual Interim Measures Evaluation Report, Dieterich Standard Site (March 5, 1999); Fourth Annual Interim Measures Evaluation Report, Dieterich Standard Site (March 9, 2000); various site characterization work plans for the facility (1999); Compliance Order 95-03-01-01.

Footnotes:

"Contamination" and "contaminated" describes media containing contaminants (in any form, NAPL and/or dissolved, vapors, or solids, that are subject to RCRA) in concentrations in excess of appropriate "levels" (appropriate for the protection of the groundwater resource and its beneficial uses).

| 3. | Has the migration of contaminated groundwater stabilized (such that contaminated groundwater is expected to remain within "existing area of contaminated groundwater" as defined by the monitoring locations designated at the time of this determination)? | |
|----|---|--|
| | <u>x</u> | If yes - continue, after presenting or referencing the physical evidence (e.g., groundwater sampling/measurement/migration barrier data) and rationale why contaminated groundwater is expected to remain within the (horizontal or vertical) dimensions of the "existing area of groundwater contamination" ²). |
| | | If no (contaminated groundwater is observed or expected to migrate beyond the designated locations defining the "existing area of groundwater contamination" ²) - skip to #8 and enter "NO" status code, after providing an explanation. |
| | | If unknown - skip to #8 and enter "IN" status code. |


Rationale and Reference(s):

Data obtained from monitoring of interim ground water measures installed at the facility appear to demonstrate that the off-site contaminant plume is either stable or is shrinking (Third Annual Interim Measures Report (March 5, 1999) and Fourth Annual Interim Measures Report (March 9, 2000), Dieterich Standard Site, Boulder, CO). These measures are expected to remain operational and in place for the foreseeable future. Initial source areas have been removed from the facility (Compliance Order 95-03-01-01). Additional investigations from the site have located other source areas on the facility (Additional Site Investigation Work Plan, dated September 17, 1999, and DNAPL Assessment Program and Additional Site Investigation Report, Dover Industries, Dieterich Standard Site, Boulder, CO, dated August 26, 1999); these are under investigation and it is anticipated that other remedial actions will be put in place once these are characterized.

² "existing area of contaminated groundwater" is an area (with horizontal and vertical dimensions) that has been verifiably demonstrated to contain all relevant groundwater contamination for this determination, and is defined by designated (monitoring) locations proximate to the outer perimeter of "contamination" that can and will be sampled/tested in the future to physically verify that all "contaminated" groundwater remains within this area, and that the further migration of "contaminated" groundwater is not occurring. Reasonable allowances in the proximity of the monitoring locations are permissible to incorporate formal remedy decisions (i.e., including public participation) allowing a limited area for natural attenuation.

| ł. | Does "contaminated" groundwater discharge into surface water bodies? | | |
|----|--|---|--|
| | <u>x</u> | If yes - continue after identifying potentially affected surface water bodies. | |
| | | If no - skip to #7 (and enter a "YE" status code in #8, if #7 = yes) after providing an explanation and/or referencing documentation supporting that groundwater "contamination" does not enter surface water bodies. | |
| | | If unknown - skip to #8 and enter "IN" status code. | |
| | Rationale and Re | eference(s): | |
| | Dry Creek – int Boulder open sp | ermittent stream located to the north of the Dieterich Standard facility on City of pace property | |

| 5. | Is the discharge of "contaminated" groundwater into surface water likely to be "insignificant" (i.e., the |
|----|---|
| | maximum concentration ³ of each contaminant discharging into surface water is less than 10 times their |
| | appropriate groundwater "level," and there are no other conditions (e.g., the nature, and number, of |
| | discharging contaminants, or environmental setting), which significantly increase the potential for |
| | unacceptable impacts to surface water, sediments, or eco-systems at these concentrations)? |



Rationale and Reference(s):

Samples obtained from ground water monitoring wells in both the shallow and deep soil zones at the facility appear to indicate that the interim measure installed at the facility has caused the contamination in ground water in both the shallow aquifer (<25 feet) and the deep aquifer (>25 feet) at the facility has decreased in size and in concentration (Third Annual Interim Measures Evaluation Report (March 5, 1999) and Fourth Annual Interim Measures Evaluation Report (March 9, 2000). Contaminant levels measured in ground water have decreased from a maximum of 700µg/l DCE and 2,000 µg/l TCA to 83µg/l DCE and 180 µg/l TCA for wells upgradient of Dry Creek (Fourth Annual Interim Measures Evaluation Report, March 9, 2000). Assuming that the interim measure continues to be operational and that additional source control is performed on the sources recently identified (Additional Site Investigation Work Plan (dated September 17, 1999), Addendum to Additional Site Investigation Workplan (dated October 27, 1999), and DNAPL Assessment Program and Additional Site Investigation Report, Dover Industries, Dieterich Standard Site, Boulder, CO, dated August 26, 1999), the ground water contaminant plume can reasonably be expected to either remain stable or to decrease.

³ As measured in groundwater prior to entry to the groundwater-surface water/sediment interaction (e.g., hyporheic) zone.

| 6. | Can the discharge of "contaminated" groundwater into surface water be shown to be "currently acceptable" (i.e., not cause impacts to surface water, sediments or eco-systems that should not be allowed to continue until a final remedy decision can be made and implemented ⁴)? |
|----|--|
| | If yes - continue after either: 1) identifying the Final Remedy decision incorporating these conditions, or other site-specific criteria (developed for the protection of the site's surface water, sediments, and eco-systems), and referencing supporting documentation demonstrating that these criteria are not exceeded by the discharging groundwater; OR 2) providing or referencing an interim-assessment, 5 appropriate to the potential for impact, that shows the discharge of groundwater contaminants into the surface water is (in the opinion of a trained specialists, including ecologist) adequately protective of receiving surface water, sediments, and eco-systems, until such time when a full assessment and final remedy decision can be made. Factors which should be considered in the interim-assessment (where appropriate to help identify the impact associated with discharging groundwater) include: surface water body size, flow, use/classification/habitats and contaminant loading limits, other sources of surface water/sediment contamination, surface water and sediment sample results and comparisons to available and appropriate surface water and sediment "levels," as well as any other factors, such as effects on ecological receptors (e.g., via bio-assays/benthic surveys or site-specific ecological Risk Assessments), that the overseeing regulatory agency would deem appropriate for making the EI determination. |
| | If no - (the discharge of "contaminated" groundwater can not be shown to be "currently acceptable") - skip to #8 and enter "NO" status code, after documenting the currently unacceptable impacts to the surface water body, sediments, and/or eco-systems. |
| | If unknown - skip to 8 and enter "IN" status code. |
| | Rationale and Reference(s): |

⁴ Note, because areas of inflowing groundwater can be critical habitats (e.g., nurseries or thermal refugia) for many species, appropriate specialist (e.g., ecologist) should be included in management decisions that could eliminate these areas by significantly altering or reversing groundwater flow pathways near surface water bodies.

⁵ The understanding of the impacts of contaminated groundwater discharges into surface water bodies is a rapidly developing field and reviewers are encouraged to look to the latest guidance for the appropriate methods and scale of demonstration to be reasonably certain that discharges are not causing currently unacceptable impacts to the surface waters, sediments or eco-systems.

| 7. | Will groundwater monitoring / measurement data (and surface water/sediment/ecological data, as necessary) be collected in the future to verify that contaminated groundwater has remained within the horizontal (or vertical, as necessary) dimensions of the "existing area of contaminated groundwater?" | | |
|----|--|---|--|
| | <u>x</u> | If yes - continue after providing or citing documentation for planned activities or future sampling/measurement events. Specifically identify the well/measurement locations which will be tested in the future to verify the expectation (identified in #3) that groundwater contamination will not be migrating horizontally (or vertically, as necessary) beyond the "existing area of groundwater contamination." | |
| | | If no - enter "NO" status code in #8. | |
| | | If unknown - enter "IN" status code in #8. | |
| | | | |

Rationale and Reference(s):

Per Compliance Order 95-03-01-01, the facility is required to remediate the ground water contamination at the site, which it is doing through use of the interim measure currently in place. Monitoring wells MW-7, -8, -9S, -9D, DSW-16S, -16D, -17S, -17M, -19S, -19D, -22S, and -22D will continue to be used to monitor the success of the interim measure in place at the facility until a final corrective measure or measures are selected and implemented in accordance with Compliance Order 95-03-01-01.

| • | A750), and obtain Supervisor (or appropriate Manager clow (attach appropriate supporting documentation as w | |
|---------------------------------------|---|--|
| <u>X</u> | YE - Yes, "Migration of Contaminated Groundwater verified. Based on a review of the information contains determination, it has been determined that the "Migrat Groundwater" is "Under Control" at the Dieterich State COD 00 554 8037, located at 5601 N. 71 st Street, Both this determination indicates that the migration of "control" and that monitoring will be conducted contaminated groundwater remains within the "existing groundwater" This determination will be re-evaluate becomes aware of significant changes at the facility. | ined in this EI attion of Contaminated andard facility, EPA ID # alder, CO. Specifically, ataminated" groundwater is to confirm that ag area of contaminated |
| · ——— | NO - Unacceptable migration of contaminated ground | ndwater is observed or expecte |
| | IN - More information is needed to make a determin | nation. |
| | OOO | |
| Completed by | (signature) | Date 6 April 2000 |
| · · · · · · · · · · · · · · · · · · · | (print) Caren Johannes | |
| | (title) Geologist | • |
| Supervisor | (signature) | Date April 10,200 |
| | (print) Walter Avramenko | |
| | (title) Unit Leader, Hazardous Waste | |
| | Corrective Action Unit | • |
| | (EPA Region or State) Colorado | - |
| 7 1 | D.C | |
| | e References may be found: rtment of Public Health and Environment | |
| • | erials and Waste Management Division | |
| HMWMD-B2 | en e | |
| • | reek Drive South | |
| Denver, CO 80 | 240-1330 | |
| | | |
| Contact telephon | ne and e-mail numbers | |
| (name | Diana Huber | |
| (phone | | - ₹40 ₀ |

(e-mail)

diana.huber@state.co.us